



BAMBOO DECKING FENCE SYSTEM & CLADDING **GREENER LIVING WITH BAMBOO**

1708

ARE AN






CLARK ST

C. A. A. B. S. A.

www.ambooo.com





Our promise:

aMbooo – Highland Bamboo only stands for exclusive premium decking, patio fence systems and cladding made of bamboo.

aMbooo DECKING, FENCE SYSTEM + CLADDING INDEX

Manufacturing and Care 04 Product care 05

Decking	
Primaverde	06
Vintage	08
Primus	10
Select	12
Elegance	14
Santos	16
Prestige	18
Supreme	20
INFINITY	22
MEGA DECK	24
Multi Boards	26
Decking overview	28
Accessories decking	30
Fence systems	
Post Deluxe /	
Post Acapulco	32
Acapulco	34
Deluxe	36
Accessories fence	38
Cladding boards	
Signature / Revestino	42
STYX	44
Care products	46





Useful facts about bamboo:

- Bamboo grows faster than any other plant on earth.
- Bamboo generates 10% 30% more biomass yearly compared to any other wood.
- Some bamboo species grow up to 3 feet a day.
- Bamboo has no thickness growth, stemming entirely from the ground.
- Bamboo is used to replace steel reinforced concrete in the building industry.
- Bamboo has been known for a long time as an unbeatable help against soil erosion.



aMbooo DECKING BOARDS,

FENCE SYSTEMS + CLADDING

Advantages and product benefits:



100% BAMBOO As a basis we exclusively use highland bamboo.



SIMPLE AND FAST Frontal tongue + groove and longitudinal groove enable simple, safe and quick mounting.



CLIMATE PROTECTION Up to 3 1/4' growth a day. A giant grass with best marks for ecology.

DECKING, FENCE SYSTEM AND CLADDING Tongue + groove short, minimized material waste during installation .



FLAME RETARDANT According to DIN 4102 B1 and ATSM84 insensitive to ash.



TREE FREE GUARANTEE Not a single tree needs to be cut.



LONG-LASTING According to EN 350-2.

DURABLE AND HARD

Nearly as strong as steel and as long-lasting as tropical hard wood.



DIMENSIONALLY STABLE

colour change caused by UV Light.

No natural spiral grain as with wood. Very low absorption and contraction behaviour.

ANTI UV SHIELD With our maintenance products guaranteed less



SLIP RESISTANT According to DIN 51097 C (Assessment group C).



PLASTICS + CERAMICS FREE No artificial additives like plastics or ceramics.

Manufacturing of our aMbooo products

Our aMbooo decking, fence and cladding boards are produced according to the well-tried and trusted HCS (high compression strand) technology. What does this mean?

- We exclusively us high quality bamboo harvested in the highlands - no artificial additives like plastics or ceramics.
- Our bamboo is harvested in sustainably managed bamboo forests only - minimum age of each culm is 5 years!
- Our boards are extremely hard thanks to the

The right **CARE** for aMbooo outdoor-products

We recommend to carry out the initial treatment with our aMbooo Special Bamboo Care Oil after installation (please observe the instructions given by the manufacturer).

Decking boards, fence systems and cladding boards are subject to weather incidence, such as rain, sun, wind, ice and snow and may naturally change their form and appearance due to the influence of these elements.

Visit our homepage ambooo.com for installation and care instructions!



very high specific weight of approx 80lbs / ft³ (oak 44lbs / ft^{3}).

- Our products are all pre-oiled.
- We exclusively use oils "Made in Germany".
- Our bamboo culms are processed with a thermo-mechanical technology. This process has been developed by us over decades to match the requirements of a premium product.

- This aging process underlines the natural quality of the material.
- With aMbooo care products the surface can be preserved in its original colour for a long time.
- For pool areas we strongly recommend regular cleaning and care!

aMbood Decking boards

PRIMAVERDE

THE VERSATILE LOOK



Material:BambooSize:ca. 3/4" x 5 1/2" x 7' 2 1/2"Colour:White oakSurface:pre-oiled





ANDOOO DECKING BOARDS *VINTAGE* THE MODERN LOOK



Material:BambooSize:ca. 3/4" x 5 1/2" x 7' 2 1/2"Colour:Granite GreySurface:pre-oiled



aMbooo DECKING BOARDS *PRIMUS*



Material:BambooSize:ca. 3/4" x 5 1/2" x 7' 2 1/2"Colour:CoffeeSurface:pre-oiled



a Mbooo DECKING BOARDS *SELECT* THE SMOOTH CLASSIC LOOK



Material:BambooSize:ca. 3/4" x 5 1/2" x 7' 2 1/2"Colour:CoffeeSurface:Pre-oiled

Attention: Natural colour differences are possible.









ELEGANCE THE CLASSIC LOOK IN ESPRESSO



Material:BambooSize:ca. 3/4" x 5 1/2" x 6' 2"Colour:EspressoSurface:pre-oiled

Attention: Natural colour differences are possible.

14





Catalogue Elegance

ANDOOO DECKING BOARDS *SANTOS* THE SMOOTH CLASSIC LOOK IN ESPRESSO



Material:BambooSize:ca. 3/4" x 5 1/2" x 6' 2"Colour:EspressoSurface:pre-oiled





aMbooo DECKING BOARDS *PRESTIGE*

THE CLASSIC HARD WOOD LOOK IN XXL



Material:BambooSize:ca. 3/4" x 7 3/4" x 7 2 1/2"Colour:CoffeeSurface:pre-oiled

Attention: Natural colour differences are possible.



aMbooo DECKING BOARDS *SUPREME*

THE SMOOTH CLASSIC LOOK IN XXL



Material:BambooSize:ca. 3/4" x 7 3/4" x 7 2 1/2"Colour:CoffeeSurface:pre-oiled

Attention: Natural colour differences are possible.



aMbooo DECKING BOARDS *INFINITY*

THE HANDCRAFTED UNIQUE LOOK



Material:BambooSize:ca. 3/4" x 5 1/2" x 7' 2 1/2"Colour:AmberSurface:pre-oiled

Attention: Natural colour differences are possible.











AMbooo DECKING TILES *MEGA DECK*

THE BAMBOO TILE



Material:BambooSize:ca. 1 1/4" x 11 3/4" x 3' 1 1/2"Colour:CoffeeSurface:pre-oiled

Attention: Natural colour differences are possible.



aMbood Multi Boards

One board with a choice of two designs!



Attention: Natural colour differences are possible.

Surface: pre-oiled



ANDOO DECKING BOARDS - OVERVIEW



groove + Tongue roughly Size aMbooo[®] Decking 3/4" x 5 1/2" x Bamboo PRIMAVERDE 7' 2 1/2" Article: 65291 3295 aMbooo® Decking 3/4" x 5 1/2" x Bamboo VINTAGE 7' 2 1/2" Article: 65291 3995 aMbooo[®] Decking 3/4" x 5 1/2" x Bamboo PRIMUS 7' 2 1/2" Article: 65333 3202 aMbooo[®] Decking 3/4" x 5 1/2" x Bamboo SELECT 7' 2 1/2" Article: 65390 3202 aMbooo® Decking 3/4" x 5 1/2" x Bamboo ELEGANCE 6' 2'' Article: 65335 3202 aMbooo[®] Decking 3/4" x 5 1/2" x Bamboo SANTOS 6' 2'' Article: 65325 3202 aMbooo[®] Decking 3/4" x 7 3/4" x Bamboo PRESTIGE 7' 2 1/2" Article: 65392 3295 aMbooo® Decking 3/4" x 7 3/4" x Bamboo SUPREME 7' 2 1/2" Article: 65402 3296 aMbooo[®] Decking 3/4" x 5 1/2" x Bamboo INFINITY 7' 2 1/2" Article: 65291 3952 aMbooo[®] Decking 3/4" x 2 3/4" Bamboo end board x 7' 2 1/2" Article: side 28 aMbooo[®] Tiles 1 1/4" x 11 3/4" Bamboo MEGA DECK x 3' 1 1/2" Article: 65363 3202 aMbooo® 1 1/2" x 11 1/2" Bamboo MULTI BOARDS x 7' 2 1/2" Article: 65342 3202 aMbooo® 1 1/2" x 11 1/2" Bamboo MULTI BOARDS x 6' 6 3/4" Article: 65412 3202

28

G booo OUTDOOR Highland Bannao

Profile						(Colou	r		
notched	Partly fine- ribbed	fine-ribbed	smooth	embossed and hand scraped	Coffee	Espresso	White Oak	Granite Grey	Amber	pre-oiled
										ļ
										¢
	¢									¢
						¢				¢
	¢					¢				
		ß			¢					¢
	ß		¢		A					A
				ļ					ß	¢
			¢		ß	ß	ß	ß		ß
	A		¢		A					A
	A		A		A					A
	ß		¢			ß				ß

aMbooo

DECKING BOARDS - MOUNTING ACCESSORIES

Article-No.	Article description		Size / Unit
Aluminium D	rainage Deck		
65273 7321	Contraction of the second seco	Aluminium	3/4" x 6" x 6' 6 3/4"
	structures for decking		
65762 2302		Colour: Coffee	1 1/2" x 1 1/2" x 7' 2 1/2"
Installation s	et for aMbooo® Decking		
59024 0100		Content: (for ca. 60 ft ²) 100x marinesteel clip (black, teflon coated) 100x marinesteel screws (1 1/2") 1x bit	1 set
	et - start clip for aMbooo® Decking		
59024 0300		Content: (for ca. 215 ft ²) 25x marinesteel clip (black, teflon coated) 25x marinesteel screws (1 1/2")	1 set
	et - end clip for aMbooo® Decking		
59024 0301	1	Content: (for ca. 215 ft ²) 25x marinesteel clip (black, teflon coated) 25x marinesteel screws (1 1/2")	1 set
	ubstructures for decking		
65377 3202			1 1/4" x 1" x 7' 10 1/2"
Aluminium s	ubstructures for decking		
65378 3202			1 3/4" x 1 1/2" x 7' 10 1/2"
Extension for	substructures		
65279 3202			1 1/4" x 1"
Extension for	substructures		
65280 3202	A A A		1 3/4" x 1 1/2"
Multi corner	for aluminium-substructure 1 1/2" x 1 1/2"		
214748 3698	All Contractions	Content: 1 piece with screws and nuts	1 set
Polyamid adj	ustible base for aluminium substructures 1 1/2	2" x 1 1/2"	
65290 3202		adjustable in height 1/2" x 1 1/2", adjustable after installation	1 pc.
	ation clip for aluminium-substructure 1 1/4" x		
59024 0200		Content: 100 x clip (for ca. 60 ft ²)	1 set
30		Made in Germany	Made in Europe

Article N-				
Article-No.	Article description			Size / Unit
	d close up clip für alumin	ium-substructure		
59024 0302			Content: 25x clip for ca. 215 ft ²	1 set
Rectangula	r board installation clip f	or aluminium-substru	ucture (MEGA DECK and Stairs)	
59022 0123	4		Content: 1 piece	1 pc.
Installation	set - round pad EPDM fo	or aMbooo® MEGA DI	ECK	
59022 0005	000	1	Content: 5x round pad for 10 ft ²	1 set
	1/5"for substructure			
65283 3202			Content: 24 pads 1 1/2" x 2 1/3" Thickness 1/5"	1 Set/32 ft ²
Terrace pad	2/5" for substructure			
65284 3202			Content: 24 pads 1 1/2" x 2 1/3" Thickness 2/5"	1 kit/32 ft ²
NEW! Pede	stals including L-adapte	r		
59202 1401	Pedestal 2/5" x 3/5"	59202 1409	Pedestal 1 1/2" x 2 3/4"	1 pc.
59202 1408	Pedestal 3/5" x 3/4"	59202 1405	Pedestal 2 3/4" x 4 3/4"	
59202 1404	Pedestal 3/4" x 1"	59202 1406	Pedestal 4 3/4" x 6 3/4"m	
59202 1402	Pedestal 1" x 1 1/2"		ws pedestal with L-adapter 2 3/4" x 4 3/4"	
59201 4260 NEW!	for pedestal including le		Increases all offered pedestals by 2"	1 pc.
Slope adapt	ter			
59202 1407 NEW!			Slope adapter (1 - 7% = 4°)	1 kit/32 ft²
Terrace join	t tape for aMbooo [®] decl	cing		
	X		for joints of ~ 1/4",	1 pc.
50219 0003	-		for aMbooo terraces 1 roll = 164'	\circ
	lade extra clean cut			
50219 0003 Sting saw b 50219 0001	lade extra clean cut			1 set
Sting saw b 50219 0001	Contraction of the second		1 roll = 164' Content:	1 set
Sting saw b 50219 0001	Contraction of the second		1 roll = 164' Content:	1 set
Sting saw b 50219 0001 Weed mat 3 65285 5202	Contraction of the second		1 roll = 164' Content: 3 saw blades	1 set
Sting saw b 50219 0001 Weed mat 3 65285 5202	Boz / 10 ft ²		1 roll = 164' Content: 3 saw blades	1 set
Sting saw b 50219 0001 Weed mat 3 65285 5202 Installation 21474 8379 NEW!	Boz / 10 ft ²		1 roll = 164' Content: 3 saw blades Roll with 3' x 50 , = 15qm/rm Content: 1 set consisting of 3 x LED with 0,5 Watt,	1 set



aMbooo **FENCE SYSTEM**

POST POST *DELUXE* *ACAPULCO*



Material: Bamboo 2 3/4" x 2 3/4" x 7' 10 1/2" Size: Colour: Coffee Surface: pre-oiled



Material: Aluminium 2 3/4" x 2 3/4" x 7' 4 1/2" Size: and 2 3/4" x 2 3/4" x 6' 4 3/4" **Colour:** Anthrazit Surface: powder coated



Fence Acapulco with aluminium posts and HPL-elements and post shoes for screwing on.







aMbooo **FENCE SYSTEM**

ACAPULCO



Wind and privacy protection

With longitudinal groove and frontal tongue and groove connection. Attention: Natural colour differences are possible.

Material: Bamboo ca. 6' 4 3/4" x 7 3/4" x 3/4" Size: Colour: Coffee Surface: pre-oiled



One system - many options!

With the Acapulco fence system we offer you a creative system to design your own fence area. This fence system can be individually shortened in height and width - with or without decorative strips. Below we give you some examples oft he Acapulco fence series. Which fence will be yours?

← extra wide, 6' 4 3/4''→





Basic kit 1 (Article-No. 25234 8209) 1 x Starter profile and end closer profile aluminium 8 x Filling boards bamboo 7 x Decorative profile aluminium 1 x Fitting/fastening set 2 x Post and -shoe for screwing also available: Expansion kit 1 (Article-No. 25432 8029)

Basic kit 2 (Article-No. 25234 8210) 1 x Starter profile aluminium, 9 x filling boards bamboo 1 x Profileboard end/close up bamboo 1 x Fitting/fastening set 2 x Post and -shoe for screwing also available:



Basic kit 4 (Article-No. 25234 8211) 1 x Starter profile and end closer profile aluminium 6 x Filling boards bamboo, 1 x Fitting/fastening set 2 x Post and -shoe for screwing (Posts are shortened on site) also available: Expansion kit 4 (Article-No. 25432 8112)



Basic kit 7 (Article-No. 25234 8214) 1 x Starter profile aluminium, 9 x Filling boards bamboo, 1 x Profile board end/close up bamboo (The slope is made on site), 1 x Fitting/fastening set 2 x Post and -shoe for screwing

also available: Expansion kit 7 (Article-No. 25234 8124)



8 x Filling boards bamboo

1 x Fitting/Fastening set

also available:

Post Acapulco for concreting (Art-No. 25233 9208)

Post Acapulco for screwing (Art-No. 25233 8208)





Expansion kit 2 (Article-No. 25432 8210)

Basic kit 5 (Article-No. 25234 8212) 1 x Starter profile aluminium

2 x Decorative profile aluminium 1 x Profile board end/elose up bamboo

2 x Post and -shoe for screwing

Expansion kit 5 (Article-No. 25432 8121)



Basic kit 3 (Article-No. 25234 5218) 1 x Starter profile and end closer profile aluminium 9 x Filling boards bamboo 1 x Fitting/fastening set 2 x Post and -shoe for screwing also available Expansion kit 3 (Article-No. 25432 5812)



Basic kit 6 (Article-No. 25234 8213) 1 x Starter profile aluminium. 4 x Filling boards bamboo 4 x Decorative profile aluminium, 1 x Profile board end/close up bamboo (are shortened on site) 1 x Fitting/fastening set 2 x Post and -shoe for screwing also available: Expansion kit 6 (Article-No. 25432 8312)

Get creative and choose between post shoes for concreting and screwing!



Post shoe for concreting (Art-No. 25234 1208)



Post shoe for screwing (Art-No. 25234 2208)

Fitting/Fastening set Acapulco (Art-No. 25234 5208)

A fastening set for wind protection is absolutely necessary for each element, as it connects the filler boards with the



aMbooo **FENCE SYSTEM**

DELUXE

Height and width adjustable. 2 different post types ←extra wide, 6' 4 3/4"→



Bamboo Connector system Deluxe NATURE

Basic kit NATURE (Art.-No. 25234 5129): 12 x Profile board Starter/Connecting Bamboo 1 x Profile board End/Close Bamboo 2 x Post (Bamboo) Deluxe Starter/End/Close up with decorative cap



Bamboo Connector system Deluxe STABILO

With Adapterprofil also for ACAPULCO Pole.


Basic kit STABILO (Art.-No. 25234 9207): 12 x Profile board Starter/Connecting Bamboo 1 x Profile board End/Close Bamboo 2 x Post and -post shoe for screwing Acapulco 2 x Adapter profile Acapulco post for 1/2" system board Deluxe

also available STABILO expansion kit (Art.-No. 25234 9211)





aMbooo Fence system ACAPULCO










	Size	Material	Surface
	6' 4 3/4'' x 1 1/2'' x 3/4''	Aluminium	powder coated
	6' 4 3/4'' x 1 1/2'' x 3/4''	Aluminium	powder coated
	6' 4 3/4" x 1 1/4" x 3/4"	Aluminium	powder coated
-parts		Steel galvanized	powder coated
	6' 4 3/4'' x 3/4''	Aluminium	powder coated
	4′ x 6′ 1 " x 1/4"	HPL	anthrazit
	3′ x 6′ 1 " x 1/4"	HPL	anthrazit
rews	6' 4 3/4'' x 3/4''	stainless steel	



aMbooo Fence system Deluxe

Article-No.	Article description		Size	Material	Surface		
Profile board S	Profile board Starter/Connecting Deluxe Bamboo						
25233 7208		Colour: Coffee	6' 4 3/4" x 5 1/2" x 1/2"	Bamboo	pre-oiled		
Profile board	nd/Close up Deluxe Bamboo						
25233 6208		Colour: Coffee	6' 4 3/4'' x 5 1/2'' x 1/2''	Bamboo	pre-oiled		
Post Deluxe ba	mboo Starter/End/Close up = 1	T					
25234 0208		Colour: Coffee	2 3/4" x 2 3/4" x 7' 10 1/2"	Bamboo	pre-oiled		
Post Deluxe ba	amboo Extension (H-Groove) = 2 g	grooves					
25239 2008		Colour: Coffee	2 3/4" x 2 3/4" x 7' 10 1/2"	Bamboo	pre-oiled		
Adapter profi	le Acapulco post for 1/2" system b	oard Deluxe					
25235 5208		Colour: Anthrazit	1/2" x 1" x 6' 4 3/4"	Aluminium	powder coated		
Decorative cap for bamboo post deluxe							
25234 2780		Material: Stainless steel	2 3/4" x 2 3/4"	Stainless steel	polished		



aMbooo Cladding PROFILES



SIGNATURE *REVESTINO*



With longitudinal groove and frontal tongue and groove connection. Attention: Natural colour differences are possible.

Material:BambooSize:ca.3/4" x 5 1/4" (5") x 7' 2 1/2"Colour:CoffeeSize:ca.1/2" x 6" (5 1/2") x 7' 2 1/2"Colour:White OakSurface:smooth / 2 x pre-oiled

Further colours for our cladding profiles Signature and Revestino are available on demand:





With longitudinal groove and frontal tongue and groove connection. Attention: Natural colour differences are possible.

Material:	Bamboo
Size:	ca. 3/4" x 2 3/4" x 7' 2 1/2"
Colour:	Coffee
Size:	ca. 1/2" x 2 3/4" x 7' 2 1/2"
Colour:	White Oak
Surface:	smooth / 2 x pre-oiled

Accessories: Cladding clip for 3/4" Signature and Revestino Cladding clip for Signature 1/2"









aMbooo Cladding PROFILE





With longitudinal groove and frontal tongue and groove connection. Attention: Natural colour differences are possible.

Material:BambooSize:ca. 1/2" x 5" x 8' 2 1/2"Colour:White OakSurface:corrugated / 2x pre-oiled

Further colours available on demand:





allocates Care products For decking boards, fence systems AND CLADDING

Article-No.	Article description		Made in
aMbooo® S	pecial bamboo care oil for aMbooo® de	cking boards (water-based = free of toxic solve	ents)
40004 6025		Colour: Coffee Content: 2,5 litres (Consumption approx 1 litre per 100 ft ²)	
40005 1025		Colour: Espresso Content: 2,5 litres (Consumption approx 1 litre per 100 ft ²)	-
40004 7025		Colour: Granite Grey Content: 2,5 litres (Consumption approx 1 litre per 100 ft ²)	-
40004 8025		Colour: White Oak Content: 2,5 litres (Consumption approx 1 litre per 100 ft ²)	-
40005 3025		Colour: Silver Grey Content: 2,5 litres (Consumption approx 1 litre per 100 ft ²)	-
40005 2025		Colour: Midnight Black Content: 2,5 litres (Consumption approx 1 litre per 100 ft ²)	-
40004 7026 <i>NEW!</i>		Colour: Amber Content: 2,5 litres (Consumption approx 1 litre per 100 ft ²)	
aMbooo® (leaner		
40069 0010		Content: 1,0 litre (Consumption approx 1 litre per 500 ft ²)	0
aMbooo® /	nti-plaque for decking boards, fence syst	ems and cladding	
21448 3778		Content: 2,5 Liter	
NEW!		against green plaque and fungus	
		Made in Germany	Made in Europ



Important care instructions:

Regular follow-up care with aMbooo Oil is essential when aMbooo decking is installed in the pool area because chlorinated poolwater damages the surface of the decking.



Made in

	wade m
(ca. 9") Content: 1x Applicator 1x Pad	
Content: 10x Pads	0
Content: 1x Tub for 10" applicator /paint roller	
ce	
Content: 250 ml für ca. 15 ft ²	-
(ca. 12") FSC Beech For cleaning and smoothing the surface suitable for bamboo, wood and stone.	0
Content: 1x Handle	0
Content: 3 Jigsaw blade	0



Anti UV shield

With our maintenance products we quarantee less colour change due to UV-radiation.



GS-Catalogue Decking-Fence-Cladding - Version 5 - 09/2021 v2

Your specialist dealer (Stamp)